GENERAL INDEX TO VOLUME VIII

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italic;* and previously published scientific names and all other matter, in ordinary type.

A

abietina (*Tremella*), 381
abietinus (Dacryomyces), 381
alba (Exidia), 366
alba (*Exidiopsis*), 366
alba (*Seismosarca*), 366
Alyssum, 134; *alpinum*, 208; *arcticum*, 156; *argyreum*, 158; *auriculatum*, 147; *Berlandieri*, 160; *bolivense*, 204; *densiflorum*, 150; *Engelmannii*, 152; *Fendleri*, 164; *globosum*, 175; *Gordonii*, 188; *gracile*, 184; *grandiflorum*, 148; *Grayanum*, 198; *lasiocarpum*, 137; *Lescurii*, 135; *Lindheimeri*, 183; *ludovicianum*, 174; *Nuttallii*, 186; *pallidum*, 173; *purpureum*, 161; *recurvatum*, 171; *repandum*, 186; *Schauerianum*, 140; *Shortii*, 202; *Urbanianum*, 204
Amylase, The effect of hydrogen-ion concentration upon the accumulation and activation of, produced by certain fungi, 63
andina (Heterochaete), 374
Armstrong, George M. Studies in the physiology of the fungi. XVI. Sulphur nutrition: The use of thiosulphate as influenced by hydrogen-ion concentration, 237
Aspergillus niger, 242, 283
aurantia (Naematelia), 368
aurantia (Tremella), 368
aurantia (*Tremella*), 368
aurantius (*Dacryomyces*), 379
Auricularia delicata, 392, *396*; **rosea,** 391, *396*; *strigoso-zonata*, 394; *tremellosa*, 392
Auriculariaceae, 390
auriformis (*Hirneola*), 390

B

Beet decoction, germination of spores in, 293, 294
Botrytis cinerea, 242, 283
Burt, E. A. Some North American Tremellaceae, Dacryomycetaceae, and Auriculariaceae, 361
Burtii (*Heterochaete*), 375

C

candida (Exidia), 367
Casein in standardization of ultrafilters, 352
ceracea (*Dacryopsis*), 387
chrysosperma (*Dacryomyces*), 379
Clavarioides (*Tremella*), 364
Colletotrichum Gossypii, 71
colorata (Tremella), 373
concrescens (*Peziza*), 362
concrescens (Tremella), 362, *396*
conformis (Ditiola), 386
Corticium reticulatum, 364; *tremellinum*, 363, var. *reticulatum*, 364
Czapek's solution, germination of spores in, 290

D

Dacryomitra **pedunculata,** 389; **stipitata,** 387, *396*
Dacryomyces abietinus, 381; *aurantius*, 379; *chrysosperma*, 379; deliquescens, 382; Ellisii, 385; *flabellum*, 379; *Harperi*, 385; *minor*, 382, 384; **palmatus,** 379, *396*; pedunculatus, 389; *pellucidus*, 363; *stillatus*, 381; **subochraceus,** 384
Dacryomycetaceae, 378
Dacryopsis ceracea, 387; Ellisiana, 389; *palmata*, 379
Degenia velebitica, 227
delicata (Auricularia), 392, *396*
delicata (*Laschia*), 392
deliquescens (Dacryomyces), 382
deliquescens (*Tremella*), 382
Ditiola conformis, 386
Duggar, B. M. and J. L. Karrer. The sizes of the infective particles in the mosaic disease of tobacco, 343

E

Ellisiana (Dacryopsis), 389
Ellisii (Dacryomyces), 385
encephala (Naematelia), 369
encephala (*Tremella*), 369
encephaliformis (*Naematelia*), 369
encephaliformis (*Tremella*), 369

Enzymatic activities in Rhizoctonia, 13
Enzyme action: amylase, 74
Eudema thlaspiforme, 227
Exidia **alba,** 366; candida, 367; *gemmata,* 371; **nucleata,** 371; *pedunculata,* 389; spiculata, 372
Exidiopsis alba, 366

F

Femsjoniana (*Guepinia*), 386
Filtration of mosaic disease virus, 344
flabellum (*Dacryomyces*), 379
fuciformis (Tremella), 365
fuciformis (*Tremella*), 364
Fungi, Studies in the physiology of the, XII, 1; XIII, 63; XIV, 237; XV, 283
Fusarium sp., 71, 283
Fusion of hyphae in Rhizoctonia, 39

G

Gelatin in standardization of ultrafilters, 353
gelatinosa (Heterochaete), 376
gelatinosa (*Kneiffia*), 376
gemmata (*Exidia*), 371
Germination of spores of certain fungi in relation to H-ion concentration, 283
Greenman, J. M. Two new senecios from the West Indies, 97
Guepinia Femsjoniana, 386

H

Harperi (*Dacryomyces*), 385
Helicobasidium **Peckii,** 395
Hemoglobin in standardization of ultrafilters, 352
Heterochaete, 374; andina, 374; *Burtii,* 375; gelatinosa, 376; **microspora,** 376; **Sheari,** 377; sublivida, 375
Hirneola auriformis, 390
Hordeum pusillum, 357
H-ion concentration: as affecting Rhizoctonia, 35; Germination of fungous spores in relation to, 283; The effect of, upon the accumulation and activation of amylase produced by certain fungi, 63; The use of thiosulphate as influenced by, 237

I

Infective particles in mosaic disease, sizes of, 343

K

Karrer, J. L. Studies in the physiology of the fungi. XIII. The effect of hydrogen-ion concentration upon the accumulation and activation of amylase produced by certain fungi, 63; Duggar, B. M. and. The sizes of the infective particles in the mosaic disease of tobacco, 343
Kneiffia gelatinosa, 376

L

Laschia delicata, 392; *tremellosa,* 392
Lenzites saepiaria, 283
Lesquerella, a monograph of the genus, 103
Lesquerella, 133; alpina, 208, var. **spathulata,** 210; *alpina,* 205; angustifolia, 182, *182;* arctica, 156, var. Purshii, 157; arenosa, 178, *179;* argentea, 174; *argentea,* 139, var. *arenosa,* 178; argyraea, 158; arizonica, 207, var. **nudicaulis,** 208; aurea, 173; auriculata, 147; Berlandieri, 160, *160;* cinerea, 214, *215; cinerea,* 214; condensata, 211, *211,* var. **laevis,** 212; curvipes, 201, *201; curvipes,* 198; Cusickii, 225; densiflora, 150, *150;* diversifolia, 222, *222;* Douglasii, 225, *226;* Engelmannii, 151, *152; Engelmannii,* 153; Fendleri, 163; flexuosa, 227; *foliacea,* 164; **frigida,** 141; **Garrettii,** 213; globosa, 202; Gordonii; 188, 189; *Gordonii,* 183, var. *sessilis,* 191; gracilis, 184, var. **repanda,** 186, var. **sessilis,** 187; *gracilis,* 186; grandiflora, 148, *149;* intermedia, 205; Kingii, 215, *216;* lasiocarpa, 137, var. **Berlandieri,** 139; lata, 195, *195;* latifolia, 217, *217;* Lescurii, 135; Lindheimeri, 183, *183;* *ludoviciana,* 175, 178; *Lunellii,* 179, var. *lutea,* 179; *Macounii,* 179; macrocarpa, 181; mendocina, 203; montana, 197, var. **suffruticosa,** 200; montevidense, 155; *Nuttallii,* 186; occidentalis, 223; ovalifolia, 153; *ovata,* 153; pallida, 172; Palmeri, 191, *191; parvula,* 208; pinetorum, 193, *193; polyantha,* 184; *praecox,* 164; prostrata, 221, *221;* pruinosa, 194, *194;* **pueblensis,** 169, *170;* purpurea, 161, *161;* rectipes, 196, *196;* recurvata, 170, *171; repanda,* 186; rosea, 179; *rosulata,* 198; Schaffneri, 168; **Schaueriana,** 139; *sessilis,* 187; *Shearis,* 198; *stenophylla,* 164; *tenella,* 191; *thlaspiformis,* 227; utahensis, 219, *220;* valida, 204; *velebitica,* 227 ;*versicolor,* 178; Wardii, 218, *218; Wardii,* 218

M

Mannite solution, germination of spores in, 290, 294

Matsumoto, T. Studies in the physiology of the fungi. XII. Physiological specialization in Rhizoctonia Solani Kühn, 1
Merulius strigoso-zonatus, 394
Metabolism in fungi, 13, 237; carbohydrate, 17; nitrogen, 30
microspora (Heterochaete), 376
minor (*Dacryomyces*), 382, 384
Mosaic disease of tobacco, sizes of infective particles in, 343
Myagrum argenteum, 174

N

Naematelia **aurantia**, 368; encephala, 369; *encephaliformis*, 369; *nucleata*, 371; *quercina*, 368
nucleata (Exidia), 371
nucleata (*Naematelia*), 371
nucleata (*Tremella*), 371
Nutrient solutions, mineral, for fungi, 17, 73, 242, 289, 290

O

Ochroma lagopus, 390
orbicularis (*Phlebia*), 394

P

palmata (*Dacryopsis*), 379
palmata (*Tremella*), 379
palmatus (Dacryomyces), 379, *396*
Payson, E. B. A monograph of the genus Lesquerella, 103
Peckii (Helicobasidium), 395
pedunculata (Dacryomitra), 389
pedunculata (*Exidia*), 389
pedunculatus (Dacryomyces), 389
pellucidus (*Dacryomyces*), 363
Penetration of host by Rhizoctonia, 46
Penicillium cyclopium, 242, 283; glaucum, 242; italicum, 71
Peptone, germination of spores in, 292
Peziza concrescens, 362
Phlebia *orbicularis*, 394; *pileata*, 394; *rubiginosa*, 394; strigoso-zonata, 394
Physaria montana, 224
Physiological specialization in Rhizoctonia Solani Kühn, 1
pileata (*Phlebia*), 394
Porcelain ultrafilters for mosaic disease virus, 346

Q

quercina (*Naematelia*), 368

R

reticulata (Tremella), 364
reticulatum (*Corticium*), 364
Rhizoctonia Solani, 1
rosea (Auricularia), 391, *396*
Rosen, H. R. Tilletia texana in Missouri, 357
rubiginosa (*Phlebia*), 394

S

Sebacina Sheari, 377
Seismosarca alba, 366
Senecio **Freemanii**, 98, *102*; **subsquarrosus**, 97, *100*
Senecios, two new, from the West Indies, 97
Sheari (Heterochaete), 377
Sheari (*Sebacina*), 377
Some North American Tremellaceae, Dacryomycetaceae, and Auriculariaceae, 361
Sparassis tremelloides, 368
Sparassoidea (*Tremella*), 364
spiculata (Exidia), 372
Standardization of ultrafilters, 346
stillatus (*Dacryomyces*), 381
stipitata (Dacryomitra), 387, *396*
stipitata (*Tremella*), 387
strigoso-zonata (*Auricularia*), 394
strigoso-zonata (Phlebia), 394
strigoso-zonatus (*Merulius*), 394
Studies in the physiology of the fungi, XII, 1; XIII, 63; XIV, 237; XV, 283
subcarnosa (Tremella), 373
sublivida (Heterochaete), 375
subochracea (*Tremella*), 384
subochraceus (Dacryomyces), 384
Sulphur nutrition in the fungi, 237
Sulphur, sources of, for fungi, 242
Synthlipsis, 134; *Berlandieri*, 137, 139; *heterochroma*, 137; *lepidota*, 140

T

Temperature, influence of, on fungi, 11
Thiosulphate, the use of, as influenced by hydrogen-ion concentration, 237
Tilletia texana in Missouri, 357
Tobacco, mosaic disease of, 343
Tremella *abietina*, 381; aurantia, 368; *aurantia*, 368; *Clavarioides*, 364; colorata, 373; **concrescens**, 362, *396*; *deliquescens*, 382; *encephala*, 369; *encephaliformis*, 369; fuciformis, 365; *fuciformis*, 364; *nucleata*, 371; *palmata*, 379; reticulata, 364; *Sparassoidea*, 364; *stipitata*, 387; subcarnosa, 373; *subochracea*, 384; vesicaria, 363; *vesicaria*, 363

Tremellaceae, 361
tremellinum (*Corticium*), 363
tremellinum var. *reticulatum* (*Corticium*), 364
tremellosa (*Auricularia*), 392
tremellosa (*Laschia*), 392
tremelloides (*Sparassis*), 368

U

Ultrafiltration of mosaic disease virus, 346

V

Vesicaria, 134; *alpina*, 205, 208; *andicola*, 204; *angustifolia*, 182, 187, var. *longistyla integrifolia*, 171, var. *longistyla pinnatifida*, 171; *arctica*, 156, 178, 203; *arenosa*, 178; *argentea*, 139; *argyraea*, 158; *auriculata*, 147; *Berlandieri*, 160; *brevistyla*, 148; *densiflora*, 150; *Engelmanii*, 151, 152; *Fendleri*, 163; *frigida*, 141; *globosa*, 202; *Gordoni*, 188; *gracilis*, 184, 187; *grandiflora*, 148, 173, var. *pallida*, 173, var. *pinnatifida*, 148; *Kingii*, 215; *lasiocarpa*, 137; *Lescurii*, 135; *Lindheimeri*, 183; *ludoviciana*, 174, 178, 225; *mendocina*, 204; *montana*, 198, 224; *montevidensis*, 155; *Nuttallii*, 186; *occidentalis*, 224; *pallida*, 173; *polyantha*, 184; *pulchella*, 152; *purpurea*, 161, var. *albiflora*, 161; *recurvata*, 158, 171; *repanda*, 186; *Schaffneri*, 168; *Shortii*, 202; *stenophylla*, 164, var. *diffusa*, *164*, var. *humilis*, 164, var. *procera*, 165, var. *siliculis ovatis*, 164
vesicaria (Tremella), 363
vesicaria (*Tremella*), 363

W

Water, germination of spores in, 293
Webb, Robert W. Studies in the physiology of the fungi. xv. Germination of the spores of certain fungi in relation to hydrogen-ion concentration, 283